EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"10551661"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L2	189	mathML or (mathematical near2 markup near2 language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L3	11	(mathML or (mathematical near2 markup near2 language)) and (multimedia with display $10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L4	39439	(question or test or quiz) with generator	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L5	170	((question or test or quiz) with generator) and ((display$10 or show$10) with (list or multimedia or media or question) with (content or figure))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L6	120	((question or test or quiz) with generator) and ((display$10 or show$10) with (list or multimedia or media or question) with (content or figure)) and configur$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L7	5	((question or test or quiz) with generator) and ((display$10 or show$10) with (list or multimedia or media or question) with (content or figure)) and (categori$10 with type)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L8	4372	((question or test or quiz) with generator).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L9	2457	((question or test or quiz) NEAR3 generator).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L10	0	(((question or test or quiz) with generator) and ((display$10 or show$10) with (list or multimedia or media or question) with (content or figure))).ti.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L11	2	((question or test or quiz) with generator).ti. and ((display$10 or show$10) with (list or multimedia or media or question) with (content or figure))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L12	981	(preorder or (root with left with right)) with (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L13	87	(preorder or (root with left with right)) with (tree or node) and (Generat$10 with (question or quiz or test))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L14	30	(preorder or (root with left with right)) with (tree or node) and (Generat$10 with (question or quiz or test)) and (flash or xml or mathml or (markup NEAR2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L15	13	(preorder or (root with left with right)) with (tree or node) and (Generat$10 with (question or quiz or test)) and (flash and xml or mathml or (markup NEAR2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L16	74	(preorder or (root with left with right)) with (tree or node) and (flash) and (xml or mathml or (markup NEAR2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L17	3686	(preorder or (root with left with right))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L18	2	(preorder or (root with left with right)) with (tree or node) and (flash) and (mathml or (mathematical near2 markup near2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L19	3	(preorder or (root with left with right)) with (tree or node) and (mathml or (mathematical near2 markup near2 language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L20	15	((preorder or (root with left with right)) with (tree or node) and ((question or test or quiz) with generat$10) and (XML or (markup NEAR2 language)) and (Categor $10 or class$13)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L21	86774	(mathML or XML or (markup language) or (math$13 NEAR markup NEAR language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L22	16155	(mathML or XML or (markup language) or (math$13 NEAR markup NEAR language)) and (multi$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L23	43	(mathML or (math$13 NEAR markup NEAR language)) and (multi $2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L24	17	(mathML or (math$13 NEAR markup NEAR language)) and (multi $2media) and (categor$10 or classif$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L25	1427	(SVT or (Super NEAR2 Versatile NEAR2 Text) or (Super$2Versatile$2Text))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L26	268	(SVT or (Super NEAR2 Versatile NEAR2 Text) or (Super$2Versatile$2Text)) and (flash or Macromedia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L27	1	(SVT or (Super NEAR2 Versatile NEAR2 Text) or (Super$2Versatile$2Text)) and (flash or Macromedia) and ((display$10 or show $10) with multi$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L28	9	(SVT or (Super NEAR2 Versatile NEAR2 Text) or (Super$2Versatile$2Text)) and (flash or Macromedia) and (multi$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L29	1	((Super NEAR2 Versatile NEAR2 Text) or (Super $2Versatile$2Text) and (flash or Macromedia) and (multi$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L30	1	((Super NEAR2 Versatile NEAR2 Text) or (Super $2Versatile$2Text) and (Macromedia) and (multi $2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L31	1	((Super NEAR2 Versatile NEAR2 Text) or (Super $2Versatile$2Text)) and (Macromedia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L32	1	"6463440".pn. and (video or multi$2media)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L33	4284	(categor$10 or class$14) with data with type with (object)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L34	419	(categor$10 or class$14) with data with type with (object) with (textual or video or audio or graphic or image)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L35	135	(categor$10 or class$14) with data with type with (object) with (textual or video or audio or graphic or image) and tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L36	0	(categor$10 or class$14) with data with type with (object) with (textual or video or audio or graphic or image) and tree and (preorder)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L37	8	(categor$10 or class$14) with data with type with (object) with (textual or video or audio or graphic or image) and tree and (pre$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L38	9	(categor$10 or class$14) with type with (object) with (textual or video or audio or graphic or image) and (pre$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L39	10	(categor$10 or class$14) with type with (data or object) with (textual or video or audio or graphic or image) and (pre$2order) and (XML or (markup language))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L40	6	(("20050041834") or ("20040153508") or ("20030172196") or ("20030158911") or ("6578192") or ("6463440")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/10 08:29
L41	2	L40 and (display$10 same (tree or node))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L42	1	"10551661" and (file same creat$10 same object)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L43	4	L40 and (creat$10 with node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L44	6	L40 and display$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L45	6	L40 and creat$10 with object	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L46	1	"10551661" and (creat$10 NEAR4 object)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L47	1246	((creat$10 with object) with type) and (tree same node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L48	49	((creat$10 with object) with type) and (tree same node) and ((categor$10 or class$14) with type with (data or object) with (textual or video or audio or graphic or image))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L49	140	layout$7 and pars$10 and ((categor$10 or class$14) with type with (data or object) with (textual or video or audio or graphic or image or text)) and (markup NEAR2 language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L50	1	(MathML or MML) with (markup language) same (display$10) same equation	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L51	5	(MathML or MML) with (markup language) same equation	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L52	6	(("20050041834") or ("20040153508") or ("20030172196") or ("20030158911") or ("6578192") or ("6463440")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/10 08:29
L53	0	L52 and Macromedia	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L54	247	(Macromedia same flash) and layout and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L55	80	(Macromedia same flash) and layout and (markup language) and (pars$10) and tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L56	90	(Macromedia same flash) and layout and (markup language) and (pars$10) and (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L57	73	(Macromedia same flash) and layout and (markup language) and (pars$10) and (tree or node) and (categor$10 or class$14)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L58	66	(Macromedia same flash) and layout and (markup language) and (pars$10) and (tree or node) and ((categor$10 or class$14) with (data or type or object))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L59	30	(Macromedia same flash) and layout and (markup language) and (pars$10 same ((categor$10 or class $14) with (data or type or object))) and (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L60	13	(Macromedia same flash same file) and layout and (markup language) and (pars$10 same ((categor $10 or class$14) with (data or type or object))) and (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L61	29	(Macromedia same flash same (document or file)) and layout and (markup language) and (pars$10 same ((categor$10 or class $14) with (data or type or object))) and (tree or node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L62	55	(files WITH (Macromedia)) and (pars$10 with (data or type or object)) and (categor$10 or class$14)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L63	30	(files WITH (Macromedia)) and (pars$10 with (data or type or object)) and (categor$10 or class$14) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L64	1	(files WITH (Macromedia)) same (pars$10 with (data or type or object) and (categor$10 or class$14) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L65	3	(files WITH (Macromedia or flash)) with (pars$10) and (categor$10 or class $14) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L66	10	("5587560" | "5600834" | "5799315" | "6240414" | "7106905").PN.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L67	2	L66 and pars$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L68	7	(("20050041834") or ("20040153508") or ("20030172196") or ("20030158911") or ("6578192") or ("20030009099") or ("6463440")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/10 08:29
L69	7	L68 and (pars$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L70	4	L68 and (pars$10) and (pre$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L71	160	(data NEAR2 object NEAR2 model or DOM) and (pars$10 same (categor$10 or calss$12))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L72	99	(data NEAR2 object NEAR2 model or DOM) and (pars$10 same (categor$10 or calss$12) same (type or object or data))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L73	121	(data NEAR2 object NEAR2 model or DOM) and (pars$10 same (categor$10 or calss$12) same (type or object or data or image or video or text$10))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L74	88	(data NEAR2 object NEAR2 model or DOM) and (pars$10 same (categor$10 or calss$12) same (type or object or data or image or video or text$10)) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L75	30	(data NEAR2 object NEAR2 model or DOM) and (pars$10 same (categor$10 or calss$12) same (type or object or data or image or video or text$10)) and (markup language) and (creat$10 with node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L76	0	(data NEAR2 object NEAR2 model or DOM) and (pars$10 same (categor$10 or calss$12) same (type or object or data or image or video or text$10)) and (markup language) and (creat$10 with node) and (pre $2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L77	6225	(categor$10 same (text $6) same (type))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L78	1418	(categor$10 same (text $6) same (type)) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29

L79	88	(pars$10 same categor $10 same (text$6) same (type)) and (markup language)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L80	2	(pars$10 same categor $10 same (text$6) same (type)) and (markup language) and (pre $2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L81	0	(pars410 and (video or image or picture or text or paragraph) with node) and (markup language) and (pre$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L82	0	(pars410) and ((video or image or picture or text or paragraph) with node) and (markup language) and (pre$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L83	9	(("20050041834") or ("20040153508") or ("20030172196") or ("20030158911") or ("6578192") or ("20030009099") or ("20020161801") or ("6463440") or ("20020016801")).PN.	US-PGPUB; USPAT	OR	OFF	2008/10/10 08:29
L84	4	L83 and (pre$2order)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L85	0	L83 and (macromedia)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:29
L86	33	(categor$10 or class$14) with data with type with (object) with (textual or video or audio or graphic or image) and 707/1,10,100.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:38
L87	25	(categor$10 or class$14) with data with type with (object) with (textual or video or audio or graphic or image) and 707/104$. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/10 08:38

| L88 | 9 | (categor$10 or class$14) with data with type with (object) with (textual or video or audio or graphic or image) and 715/234-253.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/10 08:39 |
| L89 | 0 | (categor$10 or class$14) with data with type with (object) with (textual or video or audio or graphic or image) and 434/1,322,336.ccls. | US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2008/10/10 08:39 |

10/10/2008 8:39:44 AM
C:\ Documents and Settings\ yzhao\ My Documents\ EAST\ Workspaces\ 10551661.wsp